Be SunSmart

Australia has one of the highest rates of skin cancer in the world. This is largely due to our climate, our proximity to the equator and our love of the great outdoors. Fortunately, being SunSmart is a simple and effective way to reduce your risk of developing skin cancer. Cancer Council recommends a five-step approach to sun protection when the UV Index is 3 or above.

There's more to sun protection than sunscreen. Protect yourself in five ways:



Slip on sun protective clothing



Slop on SPF 30 (or higher) sunscreen



Slap on a broad-brimmed hat



Seek shade



Slide on wrap-around sunglasses

Find your local UV levels

When the UV Index reaches 3 or above, be SunSmart and protect your skin. You can find your local UV levels at:

- Cancer Council Australia: cancer.org.au
- → My UV: myuv.com.au
- SunSmart App: cancer.org.au/SunSmartApp
- Bureau of Meteorology: bom.gov.au/uv

Be SunSmart with the free SunSmart app available at cancer.org.au/ SunSmartApp





13 3677

issues, call Cancer Council 13 11 20.

National Relay Service

This is a confidential service.

For support and

information on cancer and

cancer-related

Deaf or hearing impaired 1300 555 727 Speech impairment **Cantonese and Mandarin** 1300 300 935 Greek 1300 301 449 Italian 1300 301 431 Arabic 1300 301 625

For further information and details please visit our website: cancer.org.au









Cancer

Council

Cancer Council 13 11 20 cancer.org.au

10 myths about sun protection





(1) Sun damage is not possible on windy, cloudy or cool days.

You can get sun damage on windy, FALSE cloudy and cool days. Sun damage is caused by ultraviolet (UV) radiation, not temperature. A cool or overcast day in summer can have similar UV levels to a warm, sunny day. If it's windy and you get a red face, it's likely to be sunburn. There's no such thing as 'windburn'.

Sun damage is also possible on cloudy days, as UV radiation can penetrate some clouds, and may even be more intense due to reflection off the clouds.

Check the daily sun protection times, available online (cancer.org.au or bom.gov.au/uv), in the weather section of newspapers, or on the free app (cancer.org.au/SunSmartApp). The sun protection times show when the UV is forecast to be 3 or above.



Fake tanning lotion does not improve your body's ability to protect itself from the sun, so you will still need sun protection. Some fake tans have an SPF rating. However, this gives very little protection and should not be relied on for continued protection.

Sunscreen is not necessary when using cosmetics with SPF.

Unless cosmetics are labelled with an SPF 30 or higher rating, you should wear additional sunscreen under your makeup if you're going to be in the sun for an extended period.

Foundations and moisturisers that contain sunscreen are fine when outside for short periods, such as a guick trip to the shops at lunchtime. For longer periods of time in the sun, use a separate sunscreen and **reapply it every two hours** – not just once in the morning. Be aware that most cosmetic products offer either no protection or protection that is much lower than the recommended SPF30.

People with olive skin are not at risk of skin cancer.

People with olive skin can get skin cancer too. Regardless of skin type, exposure to

UV radiation from the sun and other artificial sources. such as solariums, can cause skin to be permanently damaged. People with skin types that are less likely to burn can still receive enough UV exposure to risk developing skin cancer. And generally when skin cancers do occur, they are detected at a later, more dangerous stage. Care still needs to be taken in the sun.

(5) You can stay out longer in the sun when you are wearing SPF50+ than you can with SPF30+

No sunscreen is a suit of armour and sunscreen should never be used to extend the amount of time you spend in the sun.

Though it may sound like there is a big difference, SPF50+ only offers marginally better protection from UVB radiation, which causes sunburn and adds to skin cancer risk, SPF30+ sunscreens filter about 96.7% of UV radiation, SPF50+ sunscreens filter 98% of UV.

Cancer Council recommends applying a sunscreen that is SPF30 or higher before heading outside, every two hours, after swimming, sweating, or towel drying.

Plenty of sun exposure is required to avoid vitamin D deficiency.

Australians shouldn't expose themselves FALSE to potentially harmful UV in order to get more vitamin D. When UV levels are 3 or above. most Australians get enough vitamin D with just a few minutes of sun exposure while completing everyday tasks - like walking to the car or shops. During peak UV times, it's important to reduce your risk of skin cancer by protecting your skin.

However, sun protection isn't generally required when UV levels are below 3. If you live in the southern parts of Australia where UV levels are low in winter, you can help maintain vitamin D levels by spending time outdoors in the middle of the day and doing some physical activity. Some people are at higher risk of vitamin D deficiency, including people with naturally very dark skin, people with conditions or medications that impact vitamin D absorption, those who cover their skin for religious or cultural reasons and those with little or no sun exposure. If you believe you're at risk of vitamin D deficiency, speak to your doctor.

7 You don't have to be concerned about skin cancer because if it happens you will see it, and it is easy to treat.

Skin cancer treatment can be much FALSE more serious than simply having a lesion 'burnt off'. It can include surgery, chemotherapy and can result in permanent scarring. Skin cancer can also spread to other parts of your body. Each year, more than 2000 Australians die of skin cancer.

Be alert for any new spots or changes to existing spots and consult your GP immediately if you notice anything new or changing. And remember, prevention is always better than cure.

(8) Only sun seekers get skin cancer.

FALSE Excessive exposure to the sun does not just happen when deliberately seeking a tan. In a high UV environment like Australia, we can be exposed to dangerous levels of UV radiation during all sorts of daily activities, such as working outdoors, gardening, walking the dog or having a picnic. This sun exposure adds up over time increasing the risk of skin cancer.



(9) If you tan but don't burn, you don't need to bother with sun protection.

There's no such thing as a safe tan. If skin darkens, it is a sign of skin cells in trauma, even if there is no redness or peeling. Skin darkens as a way of trying to protect itself because the UV rays are damaging living cells. If you tan easily, you are still at risk of skin cancer and need to use sun protection.



10 You can't get burnt in the car through a window.

You can get burnt through a car window. Untinted glass commonly used in car side windows reduces, but does not completely block transmission of UV radiation. This means you can still get burnt if you spend a long time in the car next to a untinted side window when the UV is high. More commonly, people are burnt in cars with the windows down, where they can be exposed to high levels of UV radiation.

